

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services-Irrigation & CAD Department-Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram - Departmental proceedings under Rule-20 of A.P.Civil Services (CC&A) Rules, 1991. -Articles of charge-Issued.

IRRIGATION & CAD(SER.VII(V&E-2) DEPARTMENT

G.O.Rt.NO. 1427

DATED:03-11-2008

ORDER:-

It is proposed to hold an enquiry against Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram_in accordance with the procedure laid down under Rule 20 of the A. P. Civil Services (CC&A) Rules, 1991 for the alleged charges specified herein.

2. The substance of the imputations of misconduct or misbehavior in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehaviors in support of each article charge is enclosed (Annexure-II). A list of documents by which, and a list of witnesses by whom, the article of charge is proposed to be sustained are also enclosed (Annexure-III and IV).

3. Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram_is directed to submit within 10 days of the receipt of this memorandum a written statement of defence and also state whether he desires to be heard in person.

4. Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram_is further informed that an inquiry will be held only in respect of the article of charge which is not specifically admitted herein. He should, therefore, specifically admit or deny the article of charge. He is further informed that adequate opportunity for perusal of records will be made available during the course of inquiry.

5. Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram_is further informed that if he does not submit his Written Statement of Defense on or before the stipulated time, or

does not appear in person before the disciplinary authority or otherwise fails or refuses to comply with the provisions of rule 20 of the APCS (CC &A) Rules 1991, or the orders/ directions issued in pursuance of said rules, the enquiring authority may hold enquiry against him ex-parte.

6. Attention of Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram is invited to rule 24 of the APCS (Conduct) Rules 1964, under which no Govt. servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Govt. If any representation is received on his behalf from another person in respect of any matter dealt with these proceedings it will be presumed that Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of rule 24 of the APCS (Conduct) Rules 1964

6. The receipt of the orders should be acknowledged.

(BY ORDER AND IN THE NAME OF GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri Vijaya Raju, Assistant Technical Officer O/o Superintending Engineer, Dowlaiswaram. Through Engineer-in-Chief(AW), I&CAD Department, Hyderabad.

The Engineer-in-Chief(AW), I&CAD Department, Hyderabad.
S.F/SC

//FORWARDED : : BY ORDER//

SECTION OFFICER